

In the Claims:

1-11 (canceled)

12. (currently amended) The construction element according to claim ~~11~~ 28, wherein the supporting structure layer comprises a board-like material comprising a wall that separates cells attached to each other wall-to-wall.

13. (currently amended) The construction element according to claim ~~11~~ 28, wherein the cells have a regular hexagonal cross-section.

14. (currently amended) The construction element according to claim ~~11~~ 28, wherein the supporting structure layer comprises aluminum.

15. (currently amended) The construction element according to claim ~~11~~ 28, further comprising a cell filling material.

16. (previously presented) The construction element according to claim 15, wherein the cell filling material comprises polyurethane.

17. (currently amended) The construction element according to claim ~~11~~ 28, wherein the board layer comprises a wood-based board.

18. (currently amended) The construction element according to claim ~~11~~ 28, wherein the laminate layer comprises at least one resin impregnated paper layer.

19. (currently amended) The construction element according to claim ~~11~~ 28, wherein the laminate layer, the board layer and the supporting structure layer are fixed together permanently.

20. (previously presented) The construction element according to claim 19, wherein the laminate layer, the board layer and the supporting structure layer are fixed together with adhesive.

21. (currently amended) The construction element according to claim ~~11~~ 28, wherein the construction element is constructed to be mirror symmetrical in such a way that on both sides of the supporting structure layers there is a board layer, and on an outer surface of both board layers there is a laminate layer.

22. (currently amended) The construction element according to claim ~~11~~ 28, wherein the board layer is arranged between the laminate layer and the supporting structure.

23. (canceled)

24. (currently amended) The construction element according to claim ~~11~~ 28, wherein the construction element includes a plurality of laminate layers, a plurality of board layers, and a plurality of supporting structure layers.

25. (currently amended) The construction element according to claim 11 ~~28~~, wherein the construction element includes a plurality of laminate layers and a plurality of board layers.

26. (currently amended) A sectional bowling lane, comprising:

a substructure comprising beams; and

a plurality of construction elements arranged on top of the substructure, each construction element comprising at least one supporting structure layer comprising a cellular board, an impact-resistant board layer attached to opposite sides of the supporting structure layer, and at least one laminate layer attached to the board layer on at least one side of the supporting structure layer, at least one laminate layer, a board layer, and a supporting structure layer ~~comprising a cellular structure made of one or more pieces and positioned to support the at least one laminate layer and the at least one board layer,~~

wherein the construction elements are ~~configured to be~~ operatively connectable connected to each other and ~~wherein adjacent construction elements are arranged on top of the substructure in the bowling lane.~~

27. (previously presented) The bowling lane according to claim 26, wherein the layers of the construction elements of the bowling lane have a different thickness in different sections of the bowling lane such that an overall thickness of the construction elements remains constant on the entire lane.

28. (new) A construction element for a sectional bowling lane, the construction element

comprising:

at least one supporting structure layer comprising a cellular board;

an impact-resistant board layer attached to opposite sides of the supporting structure layer; and

at least one laminate layer attached to the board layer on at least one side of the supporting structure layer;

wherein the construction element is configured to be operatively connectable to at least one other construction element.

---